

GoClick[®]

Smart Technology




2019

BRAND STORY

FLOVA, combining British contemporary aesthetics, German technology and Chinese craftsmanship, has been providing bath and kitchen products to the UK, Germany, the US and other economically developed regions for 28 years. We have acquired more than 230 patents from home and abroad and our products have passed international certificates such as the US UPC, the UK WRAS and the EU EN817.

FLOVA continues to explore a better user experience on health and comfort. The amount of 160 types of shower valves lays the foundation for a personalized functional design. Technologies such as Air-Mix and thermostatic provide enjoyment both water-saving and safe. PVD finishes offer a unique taste for design. GoClick ushers in a new era for shower control.

FLOVA, for your everyday health and comfort.



CERTIFICATES & PATENTS

FLOVA proposes a more healthy water environment. Throughout our product development, our innovation and designs have earned numerous certificates: ISO9001 Quality Management System, ISO14000 Environmental Management System, American CUPC Certificate, NSF 61 Drinking Water Safety Certificate, NSF 372 Lead-free Certificate, UK WRAS Certificate, Limited Metal Pollutants in Precipitation Certificate.



ISO 9001
Certificate



UK WRAS
Certificate



CUPC
Certificate



NSF 372
Certificate



NSF 61-9
Certificate



INNOVATION

Focused on self-innovative designs, FLOVA has acquired over 230 design patents in China and over 110 international design patents for basin and shower mixers.

Patent No.
004238343-0003



Patent No.
201730195189.9



Patent No.
002309880-0001



Patent No.
003669118-0006



Patent No.
003669118-0004




Patent No.
004238343-000






QUALITY MANUFACTURING FOR BETTER EXPERIENCE




SENSATIONAL EXPERIENCE IN ALL DIMENSIONS



Multiple modes, unlimited fun

This shower set can produce many ways of outlets based on different combination of GoClick® valves.




Cascade



Rain shower




Rain stream



AIR-MIX RAIN SHOWER 20% WATER SAVING

The design of rain shower outlet fully helps save water, without reducing any comfort of shower, achieving up to 20% water saving.



SHOWER TECHNOLOGY

Outlet mode catering to personal favor

Each person enjoys a typical way of shower and holds a personal view and expectation towards a comfortable shower head. Some people not only care for personal care, but also wish to experience relaxation and leisure. FLOVA has shower products with various appearances, outlet modes and sizes, thus offering multi-solutions for your need.

single function Air-Mix rain shower



12" Air-Mix rain shower



10" Air-Mix rain shower




8" Air-Mix rain shower



Air-Mix rain shower

dual function rain shower head



Rain stream



Air-Mix rain shower



Air-Mix rain shower



Cascade

3-function rain shower head



Cascade



Air-Mix rain shower



Rain stream

GoClick® TECHNOLOGY

One simple click to turn on a shower

Flova GoClick® system has many types of valves to choose from. It can be a four-button type, three-button type, two-button type or single button type, based on specific needs. By the smart mechanic motion of GoClick®, just one click and go for a shower. Each water flow is controlled independently. The 45mm high-flow cartridge can deliver various water flows simultaneously, thus a SPA is on.



GoClick® Cartridge
Endurance test over 800,000 times



Simply a click can independently control the rain shower, waterfall or hand shower.

Due to the Vernet thermostatic cartridge made in France, the temperature can be kept at 38°C with tolerance no more than 1°C.



Easy handling

The GoClick® can control water by one click, which means one single handle valve can control volume and temperature simultaneously.



Flexible solutions

Based on the needs for water flows, the number of buttons can be selected for free match.



Intuitive design

When the GoClick® button sticks out, it vividly means water is turned on.



Clear mark

The laser mark for temperature sets scales clearly, which can be adjusted based on personal needs.



3-outlets, 3/4" inlets



2-outlets, 3/4" inlets



2-outlets, 1/2" inlets




1-outlet, 1/2" inlets

GoClick® TECHNOLOGY

CLICK AND GO

By the smart mechanical motion of GoClick®, just one click and go for a shower. Each water flow is controlled independently. The 45mm high-flow cartridge can deliver various water flows simultaneously, thus a SPA is on.



INTUITIVE GoClick® DESIGN MIX AND MATCH


The GoClick® button to control freely from various ways of shower is designed to bring on more shower joy based on advanced technologies. The icon is easy to read and understand in bettering a bathroom design. We feel more confident to offer a better way of life to users by bringing more joy to the bathroom.



GoClick® SHOWER SYSTEM

ENJOY SHOWER THROUGH MULTI-WAYS

Whether you like a thorough Air-Mix shower, a brand new rain stream massage, or a natural waterfall, all can be easily achieved through the GoClick® push button. Moreover, three outlets can be operated simultaneously.



Cascade

Plentiful water flows off weariness after a long day. Widened outlet offers a shower experience like immersion in nature.




Rain stream

Brand new rain stream is powered by German water-saving aerator technology. It has eleven nozzles looking like rain drops falling from tile roof.



Rain shower

The design of rain shower outlet fully helps saving water, without reducing any comfort of shower, achieving up to 20% water saving.

FH 7311-6003 

Thermostatic shower mixer with
GoClick-3 buttons



FH 8496-6005 
Thermostatic shower mixer with
GoClick-3 buttons



NEWER TECHNIQUES BETTER STRUCTURE

Each advance made by FLOVA is dual upgrade both on techniques and structures. The one-piece-cast and lengthened spout applies the new technique of 5mm sand core to create a feel of thinness in design. In structure, the four-hole bathtub faucet has a separate built in installation of body and base to avoid potential damage to the chrome parts during a long period of decoration.



FH 7136C-6002
4-hole bath/shower mixer deck-mounted



FH 8236C-6001
Two-handle 8" basin mixer




FH 8226-D111
Single lever basin mixer


ONE SIMPLE TOUCH COULD START **A FAVORITE SHOWER MODE**


Fusion series shower set features two ways of outlet by the control of GoClick® button.



FH 8126-6005-572 
Thermostatic bath/shower mixer
with GoClick-2 buttons




FH 8152-6005 
Thermostatic bath/shower mixer
with GoClick-3 buttons




FH 7136BC-6002

3-hole bath mixer deck-mounted
· chrome




FH 7136C-6002

4-hole bath/shower mixer deck-mounted
· 1-function hand shower
· chrome




FH 7156C-6002


5-hole bath/shower mixer deck-mounted
· 1-function hand shower
· chrome



FH 8126-6005-572 °C


Thermostatic bath/shower mixer with GoClick-2 buttons
· thermostatic cartridge, anti-scald 38°C safety stop
· designed to run 2 outlets
· 3-function hand shower with push button
· chrome




FH 8496-6005-572 

**Thermostatic shower mixer
with GoClick-3 buttons**

- thermostatic cartridge, anti-scald 38°C safety stop
- Air-Mix shower technology
- dual-function rain shower with rain stream shower
- 3-function hand shower with push button
- chrome



FH 8152-6005-572 

**Thermostatic bath/shower mixer
with GoClick-3 buttons**


- thermostatic cartridge, anti-scald 38°C safety stop
- Air-Mix shower technology
- 3-function hand shower with push button
- chrome



FH 7310-6003-572 °C

Thermostatic concealed shower mixer with GoClick-4 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 3-function rain shower with waterfall and rain stream shower
- 2 inlets 3/4", 3 outlets 1/2", 1 outlet 3/4"
- chrome



FH 7311-6003-572 °C

Thermostatic concealed shower mixer with GoClick-3 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2-function rain shower with rain stream shower
- 3-function hand shower with push button
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7390-D121-572

Single lever concealed shower mixer with GoClick-3 buttons


- 2-function rain shower with waterfall shower
- 3-function hand shower with push button
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7350-6006-572

Thermostatic concealed shower mixer with GoClick-2 buttons


- brass shower head, Ø18.7cm
- Air-Mix shower technology
- 3-function hand shower with push button
- 2 inlets 1/2", 2 outlets 1/2"
- chrome



FH 7311A-669-PB

Thermostatic concealed shower mixer with GoClick-3 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2-function rain shower with waterfall shower
- 1-function hand shower
- 2 inlets 3/4", 3 outlets 1/2"
- matt black



FH 8335-D120-572

Single lever concealed bath/shower mixer


- 3-function hand shower with push button
- 2 inlets 1/2", 1 outlet 1/2", 1 outlet 3/4"
- chrome



FH 7301-6003 °C

Thermostatic concealed mixer with GoClick-3 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7303-6003 °C

Thermostatic concealed mixer with GoClick-2 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 2 outlets 1/2"
- chrome



FH 7305-6006 °C

Thermostatic concealed mixer with GoClick-2 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 1/2", 2 outlets 1/2"
- chrome



FH 7306-6006 °C

Thermostatic concealed mixer with GoClick button


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 1/2", 1 outlet 1/2"
- chrome



FH 7301-D121

Single lever concealed mixer with GoClick-3 buttons


- 2 inlets 3/4", 3 outlets 1/2"
- chrome




FH 7303-D121

Single lever concealed mixer with GoClick-2 buttons


- 2 inlets 3/4", 2 outlets 1/2"
- chrome

**FH 7305-D120****Single lever concealed mixer with GoClick-2 buttons**


- 2 inlets 1/2", 2 outlets 1/2"
- chrome

**FH 7302****Concealed 3-way diverter with GoClick-3 buttons**


- 1 inlet 3/4", 3 outlets 1/2"
- chrome

**FH 7307-6006 °C****Thermostatic concealed mixer**


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 1/2", 2 outlets 1/2"
- high flow rate design
- chrome

**FH 9902A-6003 °C****Thermostatic concealed mixer**


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 2 outlets 3/4"
- high flow rate design
- chrome

**FH 7309-D121****Single lever concealed 4-way bath/shower mixer**

- 2 inlets 3/4", 2 outlets 3/4"
- chrome


**FH 8308L-D120****Single lever concealed 4-way bath/shower mixer with diverter**

- 2 inlets 1/2", 1 outlet 1/2", 1 outlet 3/4"
- chrome




FH 8303L-D120

Single lever concealed 3-way bath/shower mixer
 · 2 inlets / 1 outlet, 1/2"
 · chrome




FH S33

**3-function rain shower
 with waterfall and rain stream shower**
 · chrome




FH S28A

2-function rain shower with rain stream shower
 · chrome




FH S28

2-function rain shower with waterfall shower
 · chrome




FH 8817

Shower outlet elbow with GoClick button
 · chrome



FH 8812


Shower outlet elbow with hand shower holder
 · chrome



FH 9526

Shower bar


- 1 inlet / 1 outlet, 1/2"
- chrome



FH 8817-572

Shower set with GoClick button


- 3-function hand shower with push button
- chrome



FH 8812-572

Shower set


- 3-function hand shower with push button
- chrome



FH Z28


Spout wall-mounted

- 1/2" connection
- chrome




FH 8950

Brass towel shelf
· chrome




FH 8951

Brass single towel bar
· chrome




FH 8952

Brass double towel bar
· chrome




FH 8953

Brass towel shelf
· chrome




FH 8955

Brass robe hook
· chrome



FH 8956


Brass tumbler holder with glass
· chrome



FH 8957

Brass toilet roll holder

· chrome



FH 8958

Toilet brush & holder

· chrome



FH 8275C-685
Two-handle 8" basin mixer



Each person cherishes a dream about a bathroom, where shower is not only a joy but a way to express personal taste and a place for relaxation, where we can always have a feel of family ease and comfort and where we always look for happiness in life.





FH 8205-D108
Single lever basin mixer



FH 8205A-D108
Single lever basin mixer





FH 7380A-687-572 
Thermostatic concealed mixer
with GoClick-3 buttons

A BRAND-NEW COMBINATION OF OUTLETS BRINGS MORE SHOWER JOY

This shower set can produce many ways of outlets based on different combination of GoClick® valves. Therefore, there is more shower joy brought on by rain shower and Air-Mix rain stream.

Rain stream shower

Brand new rain stream is powered by German water-saving technology. It has double lines of nine outlets looking like rain drops falling from tile roof.



Air-Mix rain shower

The design of rain shower outlet fully helps save water, without reducing any comfort of shower, achieving up to 20% water saving.





FH 7380-D117


Single lever concealed shower mixer
with GoClick-3 buttons



MIX AND MATCH OF CONCEALED VALVES LIMITLESS PERSONALITIES

You can freely choose between the three-button valve and four-button valve to create a combination of your own style together with choices from hundreds of FLOVA concealed parts. The valve body can be easily installed to the wall by a back plate made of stainless steel, bringing a fantastic way of water flows.






FH 8205-D108

Single lever basin mixer


- 40cm flexible hoses, 1/2"
- chrome



FH 8205A-D108

Single lever basin mixer


- 40cm flexible hoses, 1/2"
- chrome



FH 8295-D108

Single lever concealed basin mixer


- solid brass construction
- chrome



FH 8275C-685

Two-handle 8" basin mixer


- chrome



FH 7155BC-686

3-hole bath mixer deck-mounted


- swivel spout
- chrome



FH 7155C-686

4-hole bath/shower mixer deck-mounted


- 1-function hand shower
- swivel spout
- chrome



FH 7175C-686

5-hole bath/shower mixer deck-mounted


- 1-function hand shower
- swivel spout
- chrome



FH 8180-D109

Single lever bath/shower mixer floor-mounted


- 1-function brass hand shower
- pedestal with turnable adjustment possible
- chrome



FH 7308-D117

Single lever concealed mixer with GoClick-3 buttons


- 2 inlets 3/4", 3 outlets 1/2"
- 1-function brass hand shower
- chrome



FH 7308A-D117

Single lever concealed mixer with GoClick-4 buttons


- 2 inlets 3/4", 4 outlets 1/2"
- 1-function brass hand shower
- chrome



FH 7308-687 °C

Thermostatic concealed mixer with GoClick-3 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 3 outlets 1/2"
- 1-function brass hand shower
- chrome



FH 7308A-687 °C

Thermostatic concealed mixer with GoClick-4 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 4 outlets 1/2"
- 1-function brass hand shower
- chrome



FH 7380A-687 °C

Thermostatic concealed mixer with GoClick-3 buttons



- thermostatic cartridge, anti-scald 38°C safety stop
- 2-function rain shower / rain stream, 31.2×21.8×1.8cm
- 1-function brass hand shower
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7380B-687 °C

Thermostatic concealed mixer with GoClick-3 buttons



- thermostatic cartridge, anti-scald 38°C safety stop
- 2-function rain shower / rain stream, 31.2×21.8×1.8cm
- 1-function brass hand shower
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7380-D117

Single lever concealed shower mixer with GoClick-3 buttons


- 2-function rain shower / waterfall, 48.5×20.4×3.6cm
- 1-function brass hand shower
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7381-D117

Single lever concealed shower mixer with GoClick-4 buttons


- 2-function rain shower / rain stream, 31.2×21.8×1.8cm
- 3 body jet sprays, Ø6cm
- 1-function brass hand shower
- 2 inlets 3/4", 4 outlets 1/2"
- chrome



FH 7351A-D110-572

Single lever concealed shower mixer with GoClick-2 buttons

- 2 inlets 1/2", 2 outlets 1/2"
- stainless steel shower head, 25x25cm
- 3-function hand shower with push button
- chrome



FH 7312-687-572 °C

Thermostatic concealed mixer with GoClick-3 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2-function rain shower / waterfall, 48.5x20.4x3.6cm
- 3-function hand shower with push button
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7351-D110-572

Single lever concealed shower mixer with GoClick-2 buttons


- 2 inlets 1/2", 2 outlets 1/2"
- brass rain shower, 19.8x14.5cm
- 3-function hand shower with push button
- chrome



FH 7301A-687 °C

Thermostatic concealed mixer with GoClick-3 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 3 outlets 1/2"
- chrome



FH 7303A-687 °C

Thermostatic concealed mixer with GoClick-2 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 2 outlets 1/2"
- chrome




FH 7305A-687 °C

Thermostatic concealed mixer with GoClick-2 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 1/2", 2 outlets 1/2"
- chrome

**FH 7306A-687 °C****Thermostatic concealed mixer with GoClick button**


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 1/2", 1 outlet 1/2"
- chrome

**FH 7301A-D117****Single lever concealed mixer with GoClick-3 buttons**


- 2 inlets 3/4", 3 outlets 1/2"
- chrome

**FH 7303A-D117****Single lever concealed mixer with GoClick-2 buttons**


- 2 inlets 3/4", 2 outlets 1/2"
- chrome

**FH 7305A-D110****Single lever concealed mixer with GoClick-2 buttons**


- 2 inlets 1/2", 2 outlets 1/2"
- chrome

**FH 8302B-687 °C****Thermostatic concealed mixer with 3-way diverter**

- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets / 3 outlets, 1/2"
- chrome

**FH 8308K-D110****Single lever concealed 4-way bath/shower mixer with diverter**


- 2 inlets 1/2", 1 outlet 1/2", 1 outlet 3/4"
- chrome



FH 8303K-D110

Single lever concealed 3-way bath/shower mixer


- without diverter
- 2 inlets / 1 outlet, 1/2"
- chrome



FH 7302A

Concealed 3-way diverter with GoClick-3 buttons


- 1 inlet 3/4", 3 outlets 1/2"
- chrome



FH 9005

Concealed single function GoClick valve


- chrome



FH B16-S35

Shower arm and rain shower ceiling-mounted


- 2-function rain shower with rain stream shower
- brass shower head, 31.2x21.8x1.8cm
- chrome



FH S35

Dual-function rain shower with rain stream shower


- chrome




FH S21

Brass two-way rain shower



- 2-function rain shower / waterfall, 48.5x20.4x3.6cm
- easy clean shower spray
- pressure: 0.2-0.5MPa
- chrome

**FH B17-S35****Shower arm and rain shower wall-mounted**


- 1/2" connection
- 2-function rain shower with rain stream shower
- brass shower head, 31.2x21.8x1.8cm
- chrome

**FH B05G-S31A****Shower arm and rain shower wall-mounted**


- 1/2" connection
- chrome

**FH S31A****10" Stainless steel rain shower**


- 1/2" connection
- chrome

**FH B16****Shower arm ceiling-mounted (dual-function)**


- 1/2" connection
- chrome

**FH B17****Shower arm wall-mounted (dual-function)**

- 1/2" connection
- chrome

**FH B05G****Shower arm wall-mounted**


- 1/2" connection
- chrome



FH 9526A

Shower bar with GoClick button


- 1 inlet / 1 outlet, 1/2"
- chrome



FH 8812A-572

Shower set


- 3-function hand shower with push button
- chrome



FH S27B

Body spray jet


- 1/2" connection
- easy clean shower spray
- chrome



FH 8853E


Shower set

- universal coupling
- chrome




FH 8817A

Shower outlet elbow with GoClick button
· chrome




FH 8812A

Shower outlet elbow with hand shower holder
· chrome



FH 8857


Mounting kit for exposed shower mixer
· center distance between outlets 150mm



FH 9828-D62

Single lever basin mixer


- 40cm flexible hoses, 1/2"
- chrome



FH 9828D-D62

Single lever basin mixer


- 40cm flexible hoses, 1/2"
- chrome



FH 9828B-D62

Single lever basin mixer


- 40cm flexible hoses, 1/2"
- chrome



FH 7303C-619

Thermostatic concealed mixer with GoClick-2 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 3/4", 2 outlets 1/2"
- chrome



FH 7303C-D15

Single lever concealed mixer with GoClick-2 buttons


- 2 inlets 3/4", 2 outlets 1/2"
- chrome



FH 7305C-619

Thermostatic concealed mixer with GoClick-2 buttons


- thermostatic cartridge, anti-scald 38°C safety stop
- 2 inlets 1/2", 2 outlets 1/2"
- chrome



FH 7305C-D11

Single lever concealed mixer with GoClick-2 buttons


- 2 inlets 1/2", 2 outlets 1/2"
- chrome



FH 9005C

Concealed single function GoClick valve


- chrome



FH 9526B

Shower bar with GoClick button

- 1 inlet / 1 outlet, 1/2"
- chrome



FH 8817B

Shower outlet elbow with GoClick button
· chrome



Quality is our **passion** and our **belief**

Unit 14D, Ropemaker Park, Diplocks Way, Hailsham, East Sussex, BN27 3GU
T: +44 1892 611240
sales@flova.co.uk | www.flova.co.uk